| | Prospero s.r.l. | Revision nr. 1 | | | |
|--|--|-----------------------|--|--|--|
| Chimica | | Dated 02/11/2015 | | | |
| - | Fast Rigid Foam - White Parte A | Printed on 02/11/2015 | | | |
| | Tast Right Foam - White Faite A | Page n. 1/12 | | | |
| | Safety data sheet | | | | |
| SECTION 1. Identification | of the substance/mixture and of the company/ur | ndertaking | | | |
| 1.1. Product identifier Product name Chemical name and synonym | Fast Rigid Foam - White Parte A Fast Rigid Foam - White Parte A | | | | |
| 1.2. Relevant identified uses of the substance or mixture and uses advised against Intended use PU based foam. | | | | | |
| 1.3. Details of the supplier of the safe | ety data sheet | | | | |
| Name Full address | Prospero s.r.l. via Emidio Villa 17 | | | | |
| District and Country | 42124 Zona Ind.le Mancasale (RE) Italy | | | | |
| | Tel. 0522 506161 | | | | |
| | Fax 0522 920553 | | | | |
| e-mail address of the competent person | | | | | |
| responsible for the Safety Data Sheet Product distribution by | a.tirelli@immgroup.it Alberto Tirelli | | | | |
| | | | | | |
| 1.4. Emergency telephone number For urgent inquiries refer to | +39 3487374228 | | | | |
| SECTION 2. Hazards identification. | | | | | |
| | | | | | |

2.1. Classification of the substance or mixture.

The product is classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of EC Regulation 1907/2006 and subsequent amendments. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

| Hazard classification and indication: | | |
|---|------|--|
| Serious eye damage, category 1 | H318 | Causes serious eye damage. |
| Skin irritation, category 2 | H315 | Causes skin irritation. |
| Hazardous to the aquatic environment, chronic toxicity, | H412 | Harmful to aquatic life with long lasting effects. |
| category 3 | | |

2.2. Label elements.

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.



Signal words:

Danger

| Prospero s.r.l. | Revision nr. 1 |
|---------------------------------|---|
| Fast Rigid Foam - White Parte A | Dated 02/11/2015 Printed on 02/11/2015 Page n. 2/12 |
| | |

Hazard statements:

| H318 | Causes serious eye damage. |
|------|--|
| H315 | Causes skin irritation. |
| H412 | Harmful to aquatic life with long lasting effects. |

Precautionary statements:

| P264 | Wash thoroughly after handling. |
|-----------|---|
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves / eye protection / face protection. |
| P302+P352 | IF ON SKIN: wash with plenty of water / |
| P310 | Immediately call a POISON CENTER / doctor / |
| Contains: | Polyoxypropylenediamine Glicerilpoli(ossipropilen)triammina bis(2-dimetilamminoetil)(metil)ammina |

2.3. Other hazards.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

SECTION 3. Composition/information on ingredients.

3.1. Substances.

Information not relevant.

3.2. Mixtures.

Contains:

| Identification. | Conc. %. | Classification 1272/2008 (CLP). | |
|---|----------|------------------------------------|--|
| 1,1',1",1"'-Ethylenedinitrilotetrapropan-2-ol | | ()- | |
| CAS. 102-60-3 | 20 - 50 | Eye Irrit. 2 H319 | |
| EC. 203-041-4 | | | |
| INDEX | | | |
| Reg. no. 01-2119552434-41-0001 | | | |
| TRIS(2-CHLOROISOPROPYL)PHOSPHATE | | | |
| CAS. 13674-84-5 | 10 - 20 | Acute Tox. 4 H302, Eye Irrit. | |
| EC. 237-158-7 | | 2 H319, Skin Irrit. 2 H315 | |
| INDEX | | | |
| Glicerilpoli(ossipropilen)triammina | | | |
| CAS. 64852-22-8 | 10 - 20 | Eye Dam. 1 H318, Skin Irrit. 2 | |
| | | H315, Aquatic Chronic 3 H412 | |
| EC | | ···· - | |

INDEX. -

| | Pr | Revision nr. 1 | |
|---|------------|---|---|
| <u> </u> | Fast Rigid | Foam - White Parte A | Dated 02/11/2015 Printed on 02/11/2015 Page n. 3/12 |
| Polyoxypropylenediamine | | | |
| CAS | 3 - 5 | Skin Corr. 1C H314, Aquatic | |
| EC | | Chronic 3 H412 | |
| INDEX | | | |
| Reg. no. 01-2119557899-12 | | | |
| bis(2-dimetilamminoetil)(metil)ammina | a | | |
| CAS. 3030-47-5 | 1 - 3 | Flam. Liq. 3 H226, Acute Tox. 3 H311, Acute Tox. 4 H302, Skin Corr. 1B H314 | |
| EC | | | |
| INDEX | | | |
| Note: Upper limit is not included into the ra | inge. | | |

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures.

4.1. Description of first aid measures.

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately. INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person,

INGESTION: Get medical advice/attention. Induce vomiting only it indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed.

For symptoms and effects caused by the contained substances, see chap. 11.

4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

SECTION 5. Firefighting measures.

5.1. Extinguishing media.

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture.

| Prospero s.r.l. | Revision nr. 1 |
|---------------------------------|-----------------------|
| | Dated 02/11/2015 |
| Fast Rigid Foam - White Parte A | Printed on 02/11/2015 |
| | Page n. 4/12 |
| | ÷ |

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products. The product is combustible and, when the powder is released into the air in sufficient concentrations and in the presence of a source of ignition, it can create explosive mixtures with air. Fires may start or get worse by leakage of the solid product from the container, when it reaches high temperatures or through contact with sources of ignition.

5.3. Advice for firefighters.

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures.

6.1. Personal precautions, protective equipment and emergency procedures.

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up.

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Check incompatibility for container material in section 7. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage.

7.1. Precautions for safe handling.

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

| Prospero s.r.l. | Revision nr. 1 |
|---------------------------------|-----------------------|
| | Dated 02/11/2015 |
| Fast Rigid Foam - White Parte A | Printed on 02/11/2015 |
| | Page n. 5/12 |
| | |

Con un impiego appropriato, non sono necessarie particolarimisure. Protezione anticiendio ed antiesplosione: Evitare l'accumolo di cariche elettrostatiche.

7.2. Conditions for safe storage, including any incompatibilities.

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

Conservare i contenitori ermeticamente chiusi in luogo asciutto e fresco. Le basse temperature o il ghiaccio non danneggiano il prodotto. Proteggere da temperatue superiori a 70 °C. Le proprietà del prodotto cambiano irreversibilmente superando la temperatura limite.

7.3. Specific end use(s).

Information not available.

SECTION 8. Exposure controls/personal protection.

8.1. Control parameters.

| 1,1',1",1"'-Ethylenedinitri | otetrapropan-2- | ol | | | | | | |
|--|--|----------------|---------------|--|--------------------|--|---------------|---------------------|
| Predicted no-effect concentration | on - PNEC. | | | | | | | |
| Normal value in fresh water Normal value in marine water Normal value for fresh water se Normal value for marine water Normal value for water, intermi Normal value of STP microorg Normal value for the terrestrial | sediment ttent release anisms compartment | | | 0,085 0,0085 0,193 0,0193 1,51 70 0,0183 | | mg/l mg/l mg/kg mg/l mg/l mg/kg | I | |
| Health - Derived no-effect | Effects on consumers. | | | | Effects on workers | | | |
| Route of exposure | Acute local | Acute systemic | Chronic local | Chronic systemic | Acute local | Acute systemic | Chronic local | Chronic systemic |
| Oral. | | | VND | 2,5 mg/kg/d | | | | |
| Inhalation. | | | VND | 8,7 mg/m3 | | | VND | 29,4 mg/m3 |
| Skin. | | | VND | 2,5 mg/kg/d | | | VND | 4,2 mg/kg/d |

Legend:

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

8.2. Exposure controls.

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

| | Prospero s.r.l. | Revision nr. 1 |
|--|---------------------------------|-----------------------|
| | | Dated 02/11/2015 |
| | Fast Rigid Foam - White Parte A | Printed on 02/11/2015 |
| | | Page n. 6/12 |
| | | |

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear a hood visor or protective visor combined with airtight goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chemical properties.

| Appearance Colour Odour Odour threshold. pH. Melting point / freezing point. Initial boiling point. Boiling range. Flash point. Evaporation Rate Flammability of solids and gases Lower inflammability limit. Upper inflammability limit. Upper explosive limit. Upper explosive limit. Upper explosive limit. Vapour pressure. Vapour density Relative density. Solubility Partition coefficient: n-octanol/water Auto-ignition temperature. Decomposition temperature. Viscosity Explosive properties Oxidising properties | liquid transparent Not available. Not available. 1 Pa Not available. 1,05 Kg/l soluble in water Not available. Not available. |
|---|--|
| 9.2. Other information. | |

| VOC (Directive 2010/75/EC) : | 17,00 % | - | 178,50 |) g/litre. |
|------------------------------|----------|---|--------|------------|
| VOC (volatile carbon) : | 5,60 % - | | 58,85 | g/litre. |

Fast Rigid Foam - White Parte A

Revision nr. 1

Dated 02/11/2015

Printed on 02/11/2015 Page n. 7/12

SECTION 10. Stability and reactivity.

10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

TRIS(2-CHLOROISOPROPYL)PHOSPHATE: decoposes above 150°C/302°F.

10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid.

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials.

Materie da evitare : acidi forti, ossidanti forti, prodotti chimici reattivi, basi forti

10.6. Hazardous decomposition products.

TRIS(2-CHLOROISOPROPYL)PHOSPHATE: HCL, phosphorus oxides and chlorinated hydrocarbons.

SECTION 11. Toxicological information.

11.1. Information on toxicological effects.

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

This product may cause serious ocular lesions, cornea opacity, iris lesions, irreversible eye coloration.

Acute effects: contact with skin may cause: irritation, erythema, edema, dryness and chapped skin. Ingestion may cause health disorders, including stomach pain and sting, nausea and sickness.

Glicerilpoli(ossipropilen)triammina LD50 (Oral).2690 mg/kg LD50 (Dermal).12500 mg/kg

| | Prospero s.r.l. | Revision nr. 1 |
|---|---|---------------------------------|
| \sim $ -$ | | Dated 02/11/2015 |
| | Fast Rigid Foam - White Parte A | Printed on 02/11/2015 |
| | | Page n. 8/12 |
| SECTION 12. Ecological i | information. | |
| his product is dangerous for the envir 12.1. Toxicity. | ronment and the aquatic organisms. In the long term, it have negative | effects on aquatic environment. |
| Glicerilpoli(ossipropilen)triam | | |
| nina LC50 - for Fish. | 68 mg/l/96h | |
| 12.2. Persistence and degradabilit | у. | |
| TRIS(2- CHLOROISOPROPYL)PHOS | | |
| PHATE Solubility in water. | mg/l 1000 - 10000 | |
| ntirely biodegradable. | Ŭ | |
| 12.3. Bioaccumulative potential. | | |
| TRIS(2- CHLOROISOPROPYL)PHOS | | |
| PHATE Partition coefficient: n- | 2,68 | |
| octanol/water. BCF. | 0,8 | |
| 12.4. Mobility in soil. | | |
| | | |
| CHLOROISOPROPYL)PHOS PHATE | | |
| Partition coefficient: soil/water. | 2,76 | |
| 12.5. Results of PBT and vPvB ass | sessment. | |
| n the basis of available data, the proc | duct does not contain any PBT or vPvB in percentage greater than 0,1 | %. |
| 12.6. Other adverse effects. | | |
| formation not available. | | |
| SECTION 13. Disposal co | onsiderations. | |
| | | |
| 13.1. Waste treatment methods. | | |

| Prospero s.r.l. | Revision nr. 1 |
|---------------------------------|-----------------------|
| | Dated 02/11/2015 |
| Fast Rigid Foam - White Parte A | Printed on 02/11/2015 |
| | Page n. 9/12 |
| | |

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information.

14.1. UN number.

Not applicable.

14.2. UN proper shipping name.

Not applicable.

14.3. Transport hazard class(es).

Not applicable.

14.4. Packing group.

Not applicable.

14.5. Environmental hazards.

Not applicable.

14.6. Special precautions for user.

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code.

Information not relevant.

SECTION 15. Regulatory information.

| | Prospero s.r.l. | Revision nr. 1 |
|---|--|--|
| | • | |
| | | Dated 02/11/2015 |
| | Fast Rigid Foam - White Parte A | Printed on 02/11/2015 |
| | | Page n. 10/12 |
| 15.1. Safety, health and environme | ental regulations/legislation specific for the substance or mixture. | |
| Seveso category. | None. | |
| Restrictions relating to the product or c | contained substances pursuant to Annex XVII to EC Regulation 1907/2006. | |
| Product. Point. | 3 | |
| i ont. | 5 | |
| Substances in Candidate List (Art. 59 I | REACH). | |
| None. | | |
| Substances subject to authorisarion (Annex XIV REACH). | | |
| None. | | |
| Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012: | | |
| None. | | |
| Substances subject to the Rotterdam Convention: | | |
| None. | | |
| Substances subject to the Stockholm Convention: | | |
| None. | | |
| Healthcare controls. | | |
| | nt must not undergo health checks, provided that available risk-assessment and that the 98/24/EC directive is respected. | data prove that the risks related to the |

15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

SECTION 16. Other information.

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

| Flam. Liq. 3 | Flammable liquid, category 3 | |
|---------------|--------------------------------|--|
| Acute Tox. 3 | Acute toxicity, category 3 | |
| Acute Tox. 4 | Acute toxicity, category 4 | |
| Skin Corr. 1B | Skin corrosion, category 1B | |
| Skin Corr. 1C | Skin corrosion, category 1C | |
| Eye Dam. 1 | Serious eye damage, category 1 | |
| Eye Irrit. 2 | Eye irritation, category 2 | |
| Skin Irrit. 2 | Skin irritation, category 2 | |
| | | |



Prospero s.r.l.

Fast Rigid Foam - White Parte A

Revision nr. 1

Dated 02/11/2015

Printed on 02/11/2015 Page n. 11/12

| Aquatic Chronic 2 | Hazardous to the aquatic environment, chronic toxicity, category 2 |
|-------------------|--|
| Aquatic Chronic 3 | Hazardous to the aquatic environment, chronic toxicity, category 3 |
| H226 | Flammable liquid and vapour. |
| H311 | Toxic in contact with skin. |
| H302 | Harmful if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H315 | Causes skin irritation. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

LEGEND:

ADR: European Agreement concerning the carriage of Dangerous goods by Road

- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- **OEL: Occupational Exposure Level**
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EU) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EU) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- Regulation (EU) 2015/830 of the European Parliament 4
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website

| | Prospero s.r.l. | Revision nr. 1 |
|---------|---------------------------------|--|
| Chimica | | Dated 02/11/2015 |
| | Fast Rigid Foam - White Parte A | Printed on 02/11/2015 Page n. 12/12 |
| | | |

Note for users:

Note for users: The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product. This document must not be regarded as a guarantee on any specific product property. The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.